

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

FIG. 1




2/29
FIG. 2A



Δ MICROCALCIFICATION CLUSTERS

FIG. 2B



Δ MASS SHADOW

3 / 29

FIG 3A




141

RADIOGRAPHIC ID	DIAGNOSIS AID INFORMATION		
	ABNORMALITY TYPE	LOCATION INFORMATION	SIZE
20030101001	MASS SHADOW	(100,1200)	225mm ²
20030101002	MICROCAL CIFICATION	(300,700)	300mm ²
20030101003	NODULAR SHADOW	(400,500)	310mm ²
⋮	⋮	⋮	⋮

FIG 3B

142

RADIOGRAPHIC ID	DIAGNOSIS AID INFORMATION		
	MEASUREMENT OBJECT	LOCATION INFORMATION	MEASUREMENT RESULT
20030102001	CHEST-CARDIOTHORACIC RADIO(%)	(200,1200), (700,1200), (1340,1200), (1800,1200)	40
20030102002	LOWER LIMB-BONE LENGTH(cm)	(300,1200), (300,100)	75
20030102003	SPINAL CURVATURE-COBB ANGLE(degree)	(900,500), (1000,770), (1000,1000)	20
⋮	⋮	⋮	⋮

FIG4A**FIG4B****FIG4C**

5/29
FIG 5




FIG 6

DISPLAY IMAGE MODIFYING SCREEN USER ID

- MAIN IMAGE SIZE cm x cm
- SUB IMAGE SIZE cm x cm
- ANNOTATION
 - ☐ ARROW ☒ LETTER
 - ☐ MARK ☐ DISPLAY COLOR

GRADATION

CONTRAST

DENSITY

OK

182

6/29
FIG 7


191
↙

USER ID	MODIFYING ITEM	CONTENT
001	ANNOTATION	MARK
002	SUB IMAGE SIZE	6cm x 6cm
⋮	⋮	⋮

FIG 8

CHANNEL	IMAGE RECORDING DEVICE	OUTPUT IMAGE SIZE	MAXIMUM DENSITY	MINIMUM DENSITY	...
1	A	S ₁	T ₁	U ₁	...
2	B	S ₂	T ₂	U ₂	...
3	C	S ₃	T ₃	U ₃	...
⋮	⋮	⋮	⋮	⋮	⋮

7/29
FIG 9



8/29
FIG 10





FIG. 11



10/29
FIG 12






FIG.13




12 / 29
FIG. 14

4
↓



13 / 29
FIG 15

44



14/29
FIG 16A





FIG 16B



15/29
FIG 17A





FIG 17B



16/29
FIG 18A






FIG 18B



17/29
FIG 19



18 / 29
FIG 20






FIG. 21



20/29
FIG. 22



21 / 29
FIG. 23

44
↘







FIG 24

23 / 29
FIG. 25


4
↓



24/29
FIG. 26




25/29
FIG. 27



26 / 29
FIG. 28

4
↓



27/29
FIG 29A

MAIN IMAGE SELECTING SCREEN

424

PATIENT ID	EXAMINATION ID	EXAMINATION DATE	RADIOGRAPHIC CONDITION	MODALITY
12345	1002201	03.8.1	MLO-L MLO-R	3a
12346	1055555	03.9.1	CHEST FRONT	3a
12347	1066666	03.10.1	CHEST OBLIQUE	3d
⋮	⋮	⋮	⋮	⋮

424a

REARRANGE

EXTRACT

CONFIRM

424b 424c 424d

FIG 29B

SUB IMAGE SELECTING SCREEN

425

MAIN IMAGE MLO-R

PATIENT ID 12345

EXAMINATION ID	EXAMINATION DATE	RADIOGRAPHIC CONDITION	MODALITY
1002201	03.8.1	MLO-L MLO-R	3a
1003301	03.9.1	MLO-L MLO-R CC-L CC-R	3a
1004401	03.10.1	MLO-L MLO-R	3d
⋮	⋮	⋮	⋮

425a

WITH ANNOTATION

WITHOUT ANNOTATION

425b 425c

28 / 29
FIG. 30

44
↙




FIG 31